

Metrici LPR

~ Third party integration ~

Metrici LPR consists of one or several applications for detecting and recognising license plates (LPR engines) and a data display interface. LPR engines are independent applications that analyse real time video streams from the IP cameras and send, by HTTP POSTS, the information regarding the detected and recognised plates to the data display system. This system is formed of a MySQL relational data base and a collection of php scripts.

Integration with these systems can be made by one of the following three methods:

1. By PUSH directly from the LPR engines to the external system;
2. By initiating a trigger from the external system;
3. By GET from the reporting interface, using the methods from API.

1. PUSH Connection from LPR engines to the external system.

This working mode is useful when one wishes to receive events in real time and also to answer with an action (for ex: barrier opening, alert sending, etc.), following the decision taken in the external system.

For each vehicle / license plate, the LPR engine generates two events: action checking, and reporting. The first event occurs when the license plate enters in the camera view, and the second when the vehicle leaves and is no longer visible into the image.

For each of these two events, the LPR engine sends the data by PUSH over HTTP, in a multipart/form-data format defined in RFC2388 (<http://tools.ietf.org/html/rfc2388>), to the two distinct URLs, which can be defined in the application interface.

There is the possibility to let the reporting URL unchanged and send only a duplicate of the reporting event to the third party system. This can be achieved by filling the URL into the 'reporting_duplicate_url' parameter which can be found into the corresponding .ini file (eg. 0.ini, 1.ini and so on).

▼

×

Metrici LPR v4.9 - Settings

LPR engine working mode & External trigger

LPR input stream

Companion stream

Detection window

Live view

Reporting and check action

Reporting URL:

http://EXT_SYS_IP/endpoint_rep_URL

Check action URL:

http://EXT_SYS_IP/endpoint_ca_URL

Check action minimum probability (between 0.1 and 1.0):

0.6

Reporting / Check action - authkey / id:

XYXYXY

 /

123

Plates

Car tracking

Countries

Barrier and traffic light

GPS

Weight scale

Radar

Cancel

Save

The data sent are the following:

id (int, camera id, it can be from your data base, ex: 1 = ENTRANCE, 2 = EXIT)

number (string, recognised licence plate, no spaces)

country_code (string, RO, BG, I, F, D, etc.)

first_seen (string, yyyy-mm-dd_hh:mm:ss)

last_seen (string, yyyy-mm-dd_hh:mm:ss)

probability (float, correct recognition probability, between 0 and 1)

direction (int, 1 means that the vehicle is coming, 2 means that the vehicle is leaving, 3 = the direction cannot be determined)

plate_image (jpeg base64 encoded, license plate photo)

car_image (jpeg base64 encoded, vehicle photo)

transactionkey (string, sole key for each license plate, it can be used to logically link the two events)

gps_latitude, gps_longitude (string , ex: 40.76) – is sent only if a GPS receiver is connected

have_companion (int, 1 if exists, 0 if there isn't defined any companion camera)

companion_image (jpeg base64 encoded, companion photo)

weight (float, weight received from industrial weighing machine)

speed (float, speed received from radar system)

triggerkey (string, an unique key which can be received from another engine and links those two events)

vehicle_class (string, can have one of the following values: Unknown, Car, Motorbike, Bus, SmallTruck, BigTruck, Van, SUV/Pickup, Excavator, Tram)

vehicle_color (string, the calculated color of the vehicle: Red, Blue, Yellow, etc)

vehicle_maker (string, the producer of the vehicle: Unknown, Audi, Alfa Romeo, BMW, Cadillac, etc)

auth (string, md5 generated using a private key, it can be used for authentication)

auth = md5(id + number + country_code + first_seen + last_seen + probability + transactionkey + direction + gps_latitude + gps_longitude + have_companion + reporting_check_action_authkey)

If the request is sent correctly, the external system should prompt with an approval message. For the reporting event, if there is no answer, the LPR engine will try to resend the data subsequently. The approval message must contain the string **fbf782b5b1f90875a9773ef20bcc16aa** for the action checking event and **bb1e8f805814a0b8e465601346872377** for the reporting event. In addition to this message, the answer for the reporting event may contain a list of actions to be done. This is a string type list and can contain the values **open_barrier** and/or **open_barrier2** separated by spaces.

Each application has a log file where all actions and statuses are submitted. All log files are located into the metrici folder and each has a name composed of the id of the application and .log extension (ex: 0.log, 1.log and so on). Below it's an example of a transaction related to an external system located at the address: http://10.70.1.202/verif.php?loc=BU3&poarta=intrare_principala

2017-01-12 16:16:10 [Metrici LPR v4.9] Check action event for plate number B111LSI was sent to
http://10.70.1.202/verif.php?loc=BU3&poarta=intrare_principala

2017-01-12 16:16:11 [Metrici LPR v4.9] Check action reply received:
fbd782b5b1f90875a9773ef20bcc16aa open_barrier

2017-01-12 16:16:11 [Metrici LPR v4.9] Open barrier command sent to <http://10.10.16.233/rc.cgi?o=4,1>


2017-01-12 16:16:11 [Metrici LPR v4.9] Open barrier reply received

2017-01-12 16:16:14 [Metrici LPR v4.9] Plate number B111LSI | RO | 2017-01-13_16:16:09 | 2017-01-13_16:16:10 | 1 was inserted into local buffer

2017-01-12 16:16:14 [Metrici LPR v4.9] Reporting event for plate number B71CWN was sent to
http://localhost/io/new_plate_event.php

2. Initiating a trigger from the external system, through the reporting interface

For this method to work, some preliminary requirements must be fulfilled. First, the working mode of the LPR engine should be configured to CONTINUOUS or STARTED BY TRIGGER and the trigger device must be configured as Metrici Virtual Trigger.



Metrici LPR v5.2 - Settings

LPR engine working mode & External trigger

LPR engine working mode: CONTINUOUS

Trigger device and type: Metrici Virtual Trigger UDP port 3500

How many seconds to analyze after the trigger is received: 1

Enhanced recognition mode: ☐

LPR input stream

Companion stream

Detection window

Live view

Reporting, check action and external query

Plates

Car tracking

Countries

Barrier and traffic light


GPS

Weight scale

Radar

Cancel Save

Second, the ID of the LPR application and the IP address of the server where it resides must be configured into the web interface at LPR / Settings / Locations & Cameras / Edit camera. In our example, the camera name is Gate 2, the IP address is 127.0.0.1 because the engine is running on the same computer as the web interface.



The App ID Lpr Engine is taken from the first column of the Control Panel, for the desired camera.

Metrici Control Panel v3.7

SENTINEL key is active, 365 engine license(s) and 13 web license(s) enabled.

ID	Name	App type	CPU cores	Exec type	Use GPU	Log level	Status	Load
0		Parking Place Dete...	1	Background with watchd...	[1] GeForce RT...	Medium	Started	4 %
1		Parking Place Dete...	1	Background with watchd...	[1] GeForce RT...	Medium	Started	0 %
2		LPR Plus	1	Background with watchd...	[1] GeForce RT...	Medium	Started	7 %
3		Area Counter	1	Background with watchd...	[1] GeForce RT...	Medium	Started	4 %
4		Area Counter	1	Background with watchd...	[1] GeForce RT...	Medium	Started	4 %
5		Area Counter	1	Background with watchd...	[1] GeForce RT...	Medium	Started	3 %
6		LPR Plus	1	Background with watchd...	[2] GeForce RT...	Medium	Started	8 %
7		Snapshot	1	Background	No	Medium	Stopped	0 %
8		LPR Plus	2	Foreground with watchd...	[1] GeForce RT...	Medium	Started	14 %
9		Parking Place Dete...	1	Foreground with watchd...	[1] GeForce RT...	Medium	Started	2 %
10		Area Counter	1	Foreground with watchd...	[2] GeForce RT...	Medium	Started	6 %

After these settings are made, the external system can initiate a trigger to the URL

http://IP_OF_THE_REPORTING_INTERFACE/io/lpr/trigger_with_response.php, using a HTTP GET request, with these parameters:

triggerkey (string; an unique key which will be saved into the database)

camera_id (int; id of the camera from the web interface; can be found at Global settings / Locations & Cameras)

timeout (int; default value = 2; how many seconds to wait for an answer form the LPR engine)

fast_answer (int, 0 or 1, default value = 1 means that the answer will be generated before the timeout, if a plate number is recognized by the LPR engine)

output_type (string, JSON or XML, default = XML)

Example: [http://reports.metrici.ro/io/lpr/trigger_with_response.php?](http://reports.metrici.ro/io/lpr/trigger_with_response.php?triggerkey=982y39hd2yr982&camera_id=10&timeout=3&fast_answer=1&output_type=JSON)

triggerkey=982y39hd2yr982&camera_id=10&timeout=3&fast_answer=1&output_type=JSON

JSON RESPONSE:

```
{ "1":  
{ "id": "7893", "plate_number": "B60WRM", "country_name": "Romania", "country_symbol": "RO", "first_seen": "2018-03-12 19:06:59", "last_seen": "2018-03-12 19:07:00", "probability": "1", "location_name": "Bucharest", "camera_name": "Camera 1", "direction": "UNKNOWN", "plate_image": "http://localhost/io/lpr/plate_image_fa.php?id=7893", "car_image": "http://localhost/io/lpr/car_image_fa.php?id=7893" } }
```

3. Connection from the external system, by the API of the reporting interface

This working mode is useful for analyses and complex reports, subsequent to the occurrence of events, without being necessary to keep them in data base located on the external system.

Using GET type requests, over HTTP, to http://IP_OF_THE_REPORTING_INTERFACE/api/lpr, you can get data in the following formats: json (output=json), XML (output = xml) or DUMP (output = dump).

Example:

GET <http://reports.metrici.ro/api/lpr/search.php?auth=12345&plate=B72DAV&start=01-11-2016&end=02-11-2016&output=json>

JSON RESPONSE:

```
{  
  "error": false,  
  "duration": "0.0704",  
  "response": {  
    "header": {  
      "keyword": "B72DAV",  
      "count": 10,  
    },  
    "body": [  
      {  
        "id": 1222830,  
        "probability": "1",  
        "plate_snapshot": "/live/plate_image.php?id=1222830",  
        "car_snapshot": "/live/car_image.php?id=1222830",  
      }  
    ]  
  }  
}
```



```
        "country": "RO",
        "direction": "COMING",
        "seen": "01-11-2016 09:02",
        "camera_id": "1",
        "camera_description": "Giurgiu",
        "camera_geo_location": "44.472991,26.137505"
        "note": "Someone.s car"
    [...]
    }
    [...]
]
}
```

Methods:

/search/ - used when one wished to search for a licence plate

entry parameters:

- plate (string, searched licence plate, no spaces, ex: B72DAV)
- start (string, first day of the search interval in DD-MM-YYY format, ex: 01-11-2014, if missing,

it takes the default value: now () – 1 week interval)

- end (string, last day of the search interval in DD-MM-YYYY format, ex: 02-11-2014, if missing,

it takes the default value, today)

Example:

<http://reports.metrici.ro/api/lpr/search.php?auth=key&plate=B72DAV&start=01-11-2016&end=02-11-2016&output=xml>

/list/ - used when you wish to obtain a list of events from a certain period

entry parameters:

- camera_id (string, list of camera ids separated by comma, if missing, the results from all

cameras are obtained)

- start (string, first day of the searching period in DD-MM-YYYY format, ex: 01-10-2014, if

missing, it takes the default value: now () / 7 days period)

- end (string, the last day of the search interval in DD-MM-YYYY format, ex: 02-11-2014, if

missing, it takes the default value, today)

Example:

http://reports.metrici.ro/api/lpr/list.php?auth=key&start=01-10-2016&end=02-11-2016&camera_id=1,2&output=json

/stats/ - used when you wish to obtain the number of events from a certain period

entry parameters:

- camera_id (string, list with camera id's separated by comma, if missing, the results from all cameras are obtained)
- start (string, first day of the searching period in DD-MM-YYYY format, ex: 01-10-2014, if missing, it takes the default value: now () / 7 days period)
- end (string, the last day of the search interval in DD-MM-YYYY format, ex: 02-11-2014, if missing, it takes the default value, today)

Example:

http://reports.metrici.ro/api/lpr/stats.php?auth=key&start=01-10-2016&end=02-11-2016&camera_id=1,2&output=dump

/last_car/ - used when you wish to obtain the last recognized plate number

entry parameters:

- camera_id (string, list with camera id's separated by comma, if missing, the results from all cameras are obtained)

Example:

http://reports.metrici.ro/api/lpr/last_car.php?auth=key&camera_id=1,2&output=dump

/insert_action/ - used when you wish to insert an action into the Actions list

entry parameters:

- plate_number (is the plate number that must be inserted into the Actions list)
- info (additional information linked to the inserted plate number)
- action (0 or 1, open the barrier when the plate_number is detected)
- open_barrier2 (0 or 1, power on the traffic light when the plate_number is detected)
- camera_id (the id of the camera. If this parameter is missing or has a null value, the plate number will be added for all cameras connected into the system. It can be a comma separated list of values)
- expiration_beginning (timestamp which defines the date and hour when the action become

active)

- expire (timestamp which defines the date and hour until the action is active. If this parameter is missing there will be no expiration)

This method returns the id of the inserted action.

Example:

***http://reports.metrici.ro/api/lpr/insert_action.php?
auth=key&plate_number=VN100XFL&action=1&camera_id=4***

/delete_action_by_id/ - used when you wish to delete an action from the Actions list, knowing the id of the action

entry parameters:

- id (is the id returned by the insert_action method)

Example:

http://reports.metrici.ro/api/lpr/delete_action_by_id.php?id=22349078

/delete_action/ - used when you wish to delete an action from the Actions list

entry parameters:

- plate_number (is the plate number that must be deleted from Actions list)
- group_id (if defined, the plate_number will be deleted only from this group_id)

Example:

http://reports.metrici.ro/api/lpr/delete_action.php?plate_number=VN100XFL&group_id=2

/delete_expired/ - used when you wish to delete all expired number plates from the Actions list (it's recommended to access it from time to time)

Example:

http://reports.metrici.ro/api/lpr/delete_expired.php

/actions/ - used when you wish to list all number plates from the Actions list

Example:

http://reports.metrici.ro/api/lpr/actions.php

/general/get_timetable - used when you wish to get the list of defined time tables

Example:

https://reports.metrici.ro/api/lpr/general/get_timetable.php?auth=key&output=xml

/general/get_locations - used when you wish to get the list of defined locations

Example:

https://reports.metrici.ro/api/lpr/general/get_locations.php?auth=key&output=json

/general/get_cameras - used when you wish to get the list of defined cameras into a location entry parameters:

- location_id (The id of the desired location. If this parameter is missing or has a null value, all cameras from all locations will be listed)

Example:

https://reports.metrici.ro/api/lpr/general/get_cameras.php?auth=key&location_id=7&output=json

/groups/list - list all defined actions list groups

Example:

<https://reports.metrici.ro/api/lpr/groups/list.php?auth=key&output=json>

/groups/list_group - list all plate numbers defined into an actions list group entry parameters:

- group_id (is the id of the group which should be listed)

Example:

https://reports.metrici.ro/api/lpr/groups/list_group.php?auth=key&group_id=3&output=json

/groups/delete/ - used when you wish to delete an actions list group entry parameters:

- group_id (is the id of the group that must be deleted)

Example:

http://reports.metrici.ro/api/lpr/groups/delete.php?group_id=3

/groups/insert/ - used when you wish to add an actions list group

entry parameters:

- group_name=NAME
- timetable_id=TIMETABLE_ID
- camera_id=CAMERA IDS (, as separator)
- open_barrier=1 or 0
- open_barrier2=1 or 0
- send_email_active=1 or 0
- send_email_address=EMAIL_ADDRESS
- send_email_message=EMAIL_MESSAGE
- show_popup_active=1 or 0
- show_popup_message=POPUP_MESSAGE
- action_url=URL
- expiration_beginning=DATETIME
- expire=DATETIME

Example:

[http://reports.metrici.ro/api/lpr/groups/insert.php?](http://reports.metrici.ro/api/lpr/groups/insert.php?group_name=TESTAPI&timetable_id=1&camera_id=5,7&open_barrier=1&open_barrier2=1&send_email_active=1&send_email_address=metrici@metrici.ro&send_email_message=asdsadsadsdMESSAGE&show_popup_active=1&show_popup_message=POPUPAPI&action_url=http://192.168.1.100/cgi-bin/out=1,1)

group_name=TESTAPI&timetable_id=1&camera_id=5,7&open_barrier=1&open_barrier2=1&send_email_active=1&send_email_address=metrici@metrici.ro&send_email_message=asdsadsadsdMESSAGE&show_popup_active=1&show_popup_message=POPUPAPI&action_url=http://192.168.1.100/cgi-bin/out=1,1

/groups/update/ - used when you wish to update an actions list group

entry parameters:

- group_id=ID
- group_name=NAME
- timetable_id=TIMETABLE_ID
- camera_id=CAMERA IDS (, as separator)
- open_barrier=1 or 0
- open_barrier2=1 or 0
- send_email_active=1 or 0
- send_email_address=EMAIL_ADDRESS
- send_email_message=EMAIL_MESSAGE

- show_popup_active=1 or 0
- show_popup_message=POPUP_MESSAGE
- action_url=URL
- expiration_beginning=DATETIME
- expire=DATETIME

Example:

http://reports.metrici.ro/api/lpr/groups/update.php?

group_id=14&group_name=TESTAPI222&timetable_id=1&camera_id=5,7&open_barrier=1&open_barrier2=1&send_email_active=1&send_email_address=metrici@metrici.ro&send_email_message=asdsadsadsdMESSAGE&show_popup_active=1&show_popup_message=POPUPAPI&action_url=http://192.168.1.100/cgi-bin/out=1,1

/groups/insert_group_plate/ - used when you wish to add a plate number to an actions list group entry parameters:

- group_id=ID
- plate_number=NAME

Example:

http://reports.metrici.ro/api/lpr/groups/insert_group_plate.php?

plate_number=B123ABC&group_id=21

/parking/cars_inside/ - used when you wish to know how many cars are inside a location entry parameters:

- location_id=ID

Example:

http://reports.metrici.ro/api/lpr/parking/cars_inside.php?location_id=5&output=xml

/parking/events/ - used when you wish to have the list of parking events in a certain period of time entry parameters:

- location_id=ID
- start=DATETIME
- end=DATETIME

Example:

http://reports.metrici.ro/api/lpr/parking/events.php?

location_id=5&start=20211009&end=20211010

/parking/get_parking_price/ - used when you wish to know how much a vehicle owner should pay for using the parking lot

entry parameters:

- location_id=ID
- plate_number=PLATE_NUMBER

Example:

http://reports.metrici.ro/api/lpr/parking/get_parking_price.php?

location_id=5&plate_number=B777ABC

/parking/get_plate_numbers_inside/ - used when you wish to have the list of plate numbers which are inside the parking lot at the current moment in time

entry parameters:

- location_id=ID
- plate_number=PLATE_NUMBER (if present, it can be a part of the plate number you are looking for)

Example:

http://reports.metrici.ro/api/lpr/parking/get_plate_numbers_inside.php?

location_id=5&plate_number=B7

/parking/set_paid_amount/ - used when you wish to register a payment made by a vehicle owner

entry parameters:

- location_id=ID
- plate_number=PLATE_NUMBER
- value=NUMBER
- cash_register=ID
- receipt_item_id=NAME
- payment_method=cash,card

Example:

http://reports.metrici.ro/api/lpr/parking/set_paid_amount.php?

**location_id=5&plate_number=B777ABC&value=33&cash_register=2&receipt_item_id=Parking
&payment_method=cash**

/parking/spaces/ - used when you wish to have a report of how many parking spaces are available and how many are occupied by each tenant

entry parameters:

- location_id=ID

Example:

http://reports.metrici.ro/api/lpr/parking/spaces.php?location_id=5

/parking/stats/ - used when you wish to have a report of how many parking spaces are available and how many are occupied for the whole parking lot

entry parameters:

- location_id=ID

Example:

http://reports.metrici.ro/api/lpr/parking/stats.php?location_id=5

/parking/tenant/ - used when you wish to have the list of plate numbers which are inside the parking lot, for a certain tenant

entry parameters:

- location_id=ID
- tenant_id=ID

Example:

http://reports.metrici.ro/api/lpr/parking/tenant.php?location_id=5&tenant_id=3

All API actions are logged into the web interface on behalf of api@metrici.ro user.

ANNEX 1 - Exemple of code, PUSH from the LPR engine, endpoint check action event

```
<?php

// v1.0
// this is given only as an example to see how one can parse and use POST
// parameters reveived from Metrici LPR engine, at check action time

$ok_response= "fbd782b5b1f90875a9773ef20bcc16aa";
$msg= "";    //response message

//-----
// retrieve parameters from POST

if (isset($_POST['id']))
{
    $id= (int)strip_tags($_POST['id']);
}
else
{
    $id= 0;
}

if (isset($_POST['number']))
{
    $number= strip_tags($_POST['number']);
}
else
{
    $number= "";
}

if (isset($_POST['country_code']))
{
    $country_code= strip_tags($_POST['country_code']);
}
else
{

```

```
        $country_code= "??";
    }

    if (isset($_POST['first_seen']))
    {
        $first_seen= strip_tags($_POST['first_seen']);
    }
    else
    {
        $first_seen= "";
    }

    if (isset($_POST['last_seen']))
    {
        $last_seen= strip_tags($_POST['last_seen']);
    }
    else
    {
        $last_seen= "";
    }

    if (isset($_POST['probability']))
    {
        $probability= (float)strip_tags($_POST['probability']);
    }
    else
    {
        $probability= 0;
    }

    if (isset($_POST['transactionkey']))
    {
        $transactionkey= strip_tags($_POST['transactionkey']);
    }
    else
    {
        $transactionkey= "";
    }

    if (isset($_POST['direction']))
    {
        $direction= (int)strip_tags($_POST['direction']);
    }
    else
    {
        $direction= 3;    //UNKNOWN
    }

    if (isset($_POST['gps_latitude']))
    {
        $gps_latitude= (float)strip_tags($_POST['gps_latitude']);
    }
    else
    {
        $gps_latitude= 0;
    }
}
```

```
if (isset($_POST['gps_longitude']))
{
    $gps_longitude= (float)strip_tags($_POST['gps_longitude']);
}
else
{
    $gps_longitude= 0;
}

if (isset($_POST['have_companion']))
{
    $have_companion= (int)strip_tags($_POST['have_companion']);
}
else
{
    $have_companion= 0;
}

if (isset($_POST['weight']))
{
    $weight= (float)strip_tags($_POST['weight']);
}
else
{
    $weight= 0;
}

if (isset($_POST['speed']))
{
    $speed= (float)strip_tags($_POST['speed']);
}
else
{
    $speed= 0;
}

if (isset($_POST['triggerkey']))
{
    $triggerkey= strip_tags($_POST['triggerkey']);
}
else
{
    $triggerkey= "none";
}

if (isset($_POST['vehicle_class']))
{
    $vehicle_class= strip_tags($_POST['vehicle_class']);
}
else
{
    $vehicle_class= "Unknown";
}

if (isset($_POST['vehicle_color']))
```

```
{
    $vehicle_color= strip_tags($_POST['vehicle_color']);
}
else
{
    $vehicle_color= "Unknown";
}

if (isset($_POST['auth']))
{
    $auth= strip_tags($_POST['auth']);
}
else
{
    $auth= "";
}

if ($id!= 0 && $number!= "" && $country_code!= "" && $first_seen!= "" &&
$last_seen!= "" && $probability!=0 && $auth!= "")    //not junk
{
    //... code ...//
    //... retrieve authkey for this id, from your database
    //... code ...//
    $authkey='XXXXXX';

    if($auth!= md5($id.$number.$country_code.$first_seen.$last_seen.
$probability.$transactionkey.$direction.$gps_latitude.$gps_longitude.
$have_companion.$authkey))
    {
        $msg= "Error: unauthenticated request!";
    }
    else //all good, authenticated request
    {
        $first_seen= str_replace("_", " ", $first_seen);
        $last_seen= str_replace("_", " ", $last_seen);

        $plate_image= file_get_contents($_FILES["plate_image"]["tmp_name"]);
        // $plate_image = mysql_real_escape_string($plate_image);    //use it
only when you want to insert the image into database

        $car_image= file_get_contents($_FILES["car_image"]["tmp_name"]);
        // $car_image = mysql_real_escape_string($car_image); //use it only
when you want to insert the image into database

        //... code ...//
        //... insert new data into your database
        //... code ...//

        $msg= $ok_response;

        //... code ...//
        //... verify if there is an action for this plate number, ex:
open_barrier
        //... code ...//

        $msg.= ' open_barrier'; //... if so, append this action to the
```

```
ok_response, leaving a space between
    }
}

echo $msg; //send feedback to LPR engine

?>
```

ANNEX 2 - Exemple of code, PUSH from the LPR engine, endpoint reporting event

```
<?php

// v1.0
// this is given only as an example to see how one can parse and use POST
parameters reveived from Metrici LPR engine

$ok_response= "bb1e8f805814a0b8e465601346872377";
$msg= ""; //response message

//-----
// retrieve parameters from POST

if (isset($_POST['id']))
{
    $id= (int)strip_tags($_POST['id']);
}
else
{
    $id= 0;
}

if (isset($_POST['number']))
{
    $number= strip_tags($_POST['number']);
}
else
{
    $number= "";
}

if (isset($_POST['country_code']))
{
    $country_code= strip_tags($_POST['country_code']);
}
else
```

```
{
    $country_code= "??";
}

if (isset($_POST['first_seen']))
{
    $first_seen= strip_tags($_POST['first_seen']);
}
else
{
    $first_seen= "";
}

if (isset($_POST['last_seen']))
{
    $last_seen= strip_tags($_POST['last_seen']);
}
else
{
    $last_seen= "";
}

if (isset($_POST['probability']))
{
    $probability= (float)strip_tags($_POST['probability']);
}
else
{
    $probability= 0;
}

if (isset($_POST['transactionkey']))
{
    $transactionkey= strip_tags($_POST['transactionkey']);
}
else
{
    $transactionkey= "";
}

if (isset($_POST['direction']))
{
    $direction= (int)strip_tags($_POST['direction']);
}
else
{
    $direction= 3;    //UNKNOWN
}

if (isset($_POST['gps_latitude']))
{
    $gps_latitude= (float)strip_tags($_POST['gps_latitude']);
}
else
{
    $gps_latitude= 0;
}
```

```
}

if (isset($_POST['gps_longitude']))
{
    $gps_longitude= (float)strip_tags($_POST['gps_longitude']);
}
else
{
    $gps_longitude= 0;
}

if (isset($_POST['have_companion']))
{
    $have_companion= (int)strip_tags($_POST['have_companion']);
}
else
{
    $have_companion= 0;
}

if (isset($_POST['weight']))
{
    $weight= (float)strip_tags($_POST['weight']);
}
else
{
    $weight= 0;
}

if (isset($_POST['speed']))
{
    $speed= (float)strip_tags($_POST['speed']);
}
else
{
    $speed= 0;
}

if (isset($_POST['triggerkey']))
{
    $triggerkey= strip_tags($_POST['triggerkey']);
}
else
{
    $triggerkey= "none";
}

if (isset($_POST['vehicle_class']))
{
    $vehicle_class= strip_tags($_POST['vehicle_class']);
}
else
{
    $vehicle_class= "Unknown";
}
```

```
if (isset($_POST['vehicle_color']))
{
    $vehicle_color= strip_tags($_POST['vehicle_color']);
}
else
{
    $vehicle_color= "Unknown";
}

if (isset($_POST['auth']))
{
    $auth= strip_tags($_POST['auth']);
}
else
{
    $auth= "";
}

if ($id!= 0 && $number!= "" && $country_code!= "" && $first_seen!= "" &&
$last_seen!= "" && $probability!=0 && $auth!= "")    //not junk
{
    //... code ...//
    //... retrieve authkey for this id, from your database
    //... code ...//
    $authkey='XXXXXX';

    if($auth!= md5($id.$number.$country_code.$first_seen.$last_seen.
$probability.$transactionkey.$direction.$gps_latitude.$gps_longitude.
$have_companion.$authkey))
    {
        $msg= "Error: unauthenticated request!";
    }
    else //all good, authenticated request
    {
        $first_seen= str_replace("_", " ", $first_seen);
        $last_seen= str_replace("_", " ", $last_seen);

        $plate_image= file_get_contents($_FILES["plate_image"]["tmp_name"]);
        //$plate_image = mysql_real_escape_string($plate_image);    //use it
only when you want to insert the image into database

        $car_image= file_get_contents($_FILES["car_image"]["tmp_name"]);

        //$car_image = mysql_real_escape_string($car_image); //use it only
when you want to insert the image into database

        //... code ...//
        //... verify if there is another row into database containing the
same transactionkey
        //... if so, update that row with new values
        //... if not, insert new data
        //... code ...//

        $msg= $ok_response;
    }
}
```



```
echo $msg; //send feedback to LPR engine
```

```
?>
```